PRE-BID QUERY RESPONSE OF Ref: RFP Number : KGB/ITW/AMC RFP 01/2020-21 dated 05-04-2021

	,	RFP			
SI No	RFP Page Number	Clause No.	Existing Clause	Query/Suggestions	PRE-BID QUERY RESPONSE
1	4 &11	i	Bidders should pay the Tender Fee amount (Non Refundable) as mentioned in the Bid Schedule	Is MSME registed vendor exempted from paying Tender Fee & EMD.	Kindly look in to ADDENDUM ITEM NO.1 OF Amendment 1
2	15	17 (iV)	The Bidder will be selected as L1 on the basis of net percentage as quoted in the Reverse Auction.	Need more clarity on net percentage caluclation. Also, Should we quote percentage considering 11 months or 12 months.	Kindly look in to ADDENDUM ITEM NO.3 OF Amendment 2
3	16	19. ii	In the event of a single vendor attaining the status of L-1 vendor the Bank with a view to spreading its dependence on more vendors may exercise the option of distributing the clusters to L-2 and/ or L-3 vendors etc. provided they match the prices with that of the L-1 vendor. The cluster to be so dropped and allotted to the L2/L3 vendor will be as per choice of the L1 vendor.	Will there be a weightage for L1? If so, what will be the weightage percentage for L1 and what will be the weightage percentage for L2 and L3.	Kindly look in to ADDENDUM ITEM NO.4 OF Amendment 2
4	16	19 (v)	NDA should be submitted	Will KGB provide NDA format.	Kindly look in to ADDENDUM ITEM NO.5 OF Amendment 2

5	17	19. xi	Iterms & conditions provided	Here it says AMC validity period is 12 months. However, the RFP title says FOR ANNUAL MAINTENANCE OF COMPUTER HARDWARE, PRINTERS AND SCANNERS, AT ALL THE BRANCHES AND OFFICES OF KERALA GRAMIN BANK ACROSS KERALA FOR THE PERIOD 01-05-2021 TO 31-03-2022. Please clarify.	
6	18	25. viii	The support service team shall be dedicated for Kerala Gramin Bank only and shall report to and operate from a designated Kerala Gramin Bank branch/office only. The name, qualification and experience of the service engineer(s) must be submitted along with the agreement.	Should we factor the Dedicated Engineers cost separately, please clarify.	Kindly look in to ADDENDUM ITEM NO.7 OF Amendment 2

7	19	25 (X)	One Service Engineer will be provided for maximum 10 Branches (to cover maximum of 150 desktops). Location of stationing of engineer will be decided in consultation with concerned Administrative Office. However, in case of multiple offices situated in the same premises, any individual office with up to 150 workstations one resident engineer should be placed. If the number of workstations crosses 150 per office another engineer must be deployed.	Do you require dedicated Engineer to cover 10 Branches(to cover maximum of 150 desktops)? Also, can we provide shared resource if the workstations crosses 150 numbers.	Kindly look in to ADDENDUM ITEM NO.7 OF Amendment 2
8	21	25 (xxviii)	The company shall ensure those faults & failures intimated by Kerala Gramin Bank as above are diagnosed & repaired within 2 hours plus journey time and The penalty cap that can be imposed on Vendor under this Agreement will be 20% maximum of the total AMC value	Generally, the response time is 4 hours and resolution time is 48 Hrs.	Kindly look in to ADDENDUM ITEM NO.8 OF Amendment 2

9	Amendment 1 to RFP, page :8	L (1.1)	MSEs participating in tenders, quoting price within price band of L1 +15% shall also be allowed to service a portion of requirement by bringing down their price to L1 in a situation where L1 price is from someone other than MSE and such MSE shall be allowed to service upto 20% of the total tendered value. In case of more than one such MSE, the SERVICE shall be shared proportionally according to the tendered quantity	Does this clause applicable for MSME registered vendor too?	yes
			The bidders should pay the	Please confirm whether MSME	
				registered vendors are	
10	3	10	Tender Fee of ₹2500.00	excempted from Tender Fee	kindly look in to Amendment1
			CONTRCT PERIOD 01-05-2021	In the 1st page the contract	
				period is mentioned as 01-05-	
				2021 TO 31-03-2022. In other	
				pages it is mentioned that the	
				contract is for 12 months.	
				Please confirm whether we	
				have to quote for 12 months or	
				11 months in indicative price	
11	1		TO 31-03-2022.	bid and in reverse auction	you may quote for 11 months

		1			
			If the repair work is expected	Please change to 24 hours from	
			to prolong beyond 2 hours to		
			down time, the vendor shall		
			replace the defective	2 hours for stand by and	
			equipment with stand-by		
			equipment immediately and		kindly look in to addendum item
12	54	3	restore operations.	penalty calculations	No.9 of Amendment-2
			The penalty cap that can be	Please change the maximum	
			imposed on Vendor under this		
			Agreement will be 20%		
			maximum of the total AMC		bidder have to comply the RFP
13	56	14	value.	penalty to 10% in place of 20%	guidelines
			Indicative price bid	Sicne we have to give AMC	
				price in Percentage terms in	
				indicative pricing and in	
				reverse quction, please share	kindly look in to addendum item
14	50			the cost of the hardware.	, No.1 of Amendment-2
			One Service Engineer will be	As per this clause we have to	
			manidad fan maniman ma 10	provide 64 engineers for	
			provided for maximum 10	maintaining 634 branches.	kindly look in to addendum item
15	60	8	Branches	Please confirm	No.10 of Amendment-2
			Eligibility Crieteria	Eligibility Crieteria not attached	kindly look in to addendum item
16	9	5		in RFP.	No.1 of Amendment-1
				Please confirm whether the	
				consumable items not covered	
				under the the scope of the	
				contract like printer head, fuser	kindly look in to addendum item
17				unit etc	No.2 of Amendment-2

			Indicative price bid	Since the indicative price bid is	
				for each cluster, please confirm	
				whether the reverse auction is	
				also for each cluster or for all	kindly look in to addendum item
18	50			branches together	No.1 of Amendment-2
				Please confirm whether	
				physical damages and brackage	
				of external plastic parts and	
				damages due to rats and	
				insects are excluded from AMC	kindly look in to addendum item
19				or not.	No.2 of Amendment-2
			In case of AMC of Head Office,	Please confirm the total	
			at Malappuram, the vendor		
			shall arrange for one engineer		
			per 150 nodes with minimum	number of engineers required	
			number of four resident		
			engineers including one team	for Head office including team	
			leader, as per	land and a moral management	
			qualification/experience		kindly look in to addendum item
20	60	7	applicable.	leader	No.10 of Amendment-2